

High Power Over-the-Air Public Safety Centric DAS (136-512 MHz)

HONBDA Series

Product Features

- Specifically designed for LMR and Public Safety Applications
- Redundancy features
- Field expandable
- No need of "Front End BDA" or "POI", reduced infrastructure cost
- Channelized
- Programmable uplink squelch (per channel and time slot) for reduced UL noise contribution
- Software programmable channel selective or band selective operation, suitable for highly congested RF environments
- Centralized operation, single point of access
- AGC per channel and time slot
- Supports Over-the-Air (OTA) operation
- NFPA Compliant
- Buy American Compliant
- FCC (Federal Communications Commission)
- IC Compliant
- ISO 9001 Approved
- NFPA Compliant
- RoHS Compliant
- SGS-C-UL
- Preserves the far end communications and protects BTS Rx sensitivity



Master

Remote

Applications

- For P25 Ph1, P25 Ph2, DMR, TETRA, TETRAPOL, C2000, NXDN and Conventional Systems
- Indoor: tunnels, buildings, subways, airports, among others
- Outdoor: stadiums, canyons, dense urban areas, remote rural towns

Specification

Value

Fiber-Optic	Single mode
WDM	Yes
Optical Wavelengths	1310 / 1550 nm
Operational Bands	136 - 174 MHz & 450 - 512 MHz
Number of Channel Filters	64 channels + 4 Bandwidth Adjustable per band
Available Channel Filter BW	100kHz, 75kHz, 62.5kHz, 50kHz, 37.5kHz, 25kHz & 12.5kHz
Group Delay	Channel Selective 100kHz, 12.6µS Channel Selective 75kHz, 14.9µS Channel Selective 62.5kHz, 16.8µS Channel Selective 50kHz, 19.6µS Channel Selective 37.5kHz, 24.1µS Channel Selective 25kHz, 33.4µS Channel Selective 12.5kHz, 62.1µS or Band selective: 3.5 to 6.5µS, depending on BWA
Supported Fiber Loss	20dBo max
Optical Connectors	LC/UPC
Optical Return Loss	>45dB
RF Input/Output Impedance	50
RF Connectors	N(f)
Overall Gain (Master + Remote)*	85dB regardless fiber length
Noise Figure	<9dB

Master Unit Electrical and Mechanical Specifications	Value
DL Manual Attenuator	20dB in 1dB steps
Maximum UL Output Power *	+24 dBm per band
UL IM and Spurious Generation	< -13dBm
UL Manual Attenuator	20dB in 1dB steps
Max Operational DL Input Power	-35dBm
Number of Optical Ports	8
Master Unit Electrical and Mechanical Specifications	Value
Power Supply	110VAC 60Hz or +24VDC (see table)
Power Consumption	80W
Housing	NEMA4
Environmental	EN 300 019 4.1
Temperature range	-22° to +131° F • -30° to +55° C
Humidity	<95% non-condensing
Dimensions	Cabinet Type "C": 27.2 x 20 x 9 in (690.88 x 508.0 x 228.6mm) Cabinet Type "E": 30 x 24 x 14 in (762 x 610 x 355.6mm)
MTBF	<50.000 hours
Remote Unit Electrical and Mechanical Specifications	Value
Composite Output Power, DL *	VHF: 30 dBm, UHF: 37 dBm
DL IMD and Spurious Generation	< -13 dBm
Number of Optical Ports	1 for MU redundancy FO ports available as optional
UL Maximum Input Power	0dBm
UL Noise Reduction	UL squelch per channel, programmable
Manual Attenuator	20dB in 1 dB steps +/- 0.5 dB
Power Supply	110VAC 60Hz & +24 (see Table)
Power Consumption	130W
Housing	NEMA4
Environmental	EN 300 019 4.1
Temperature Range	-22° to +131° F • -30° to +55° C
Humidity	< 95% non-condensing
Dimension and Weight	30 x 24 x 16 in (762 x 609.6 x 468.95 mm)
MTBF	> 50.000 hours
Control and Alarms	Value
Alarms Report	Via Master Unit Local: USB (POWER STATUS, MU STATUS, RM STATUS) Remote: SNMP (Ethernet)
Master Unit Configuration	Local: USB or Ethernet (Web browser) Remote: Via SNMP or Web browser
Normative	Value
Standards	ITU T G 652 EN60825-1
FCC	FCC, CFR 47, Part 15, Subpart B, Class A digital devices
FCC ID Master	P3TDH14-4A
FCC ID Remote	P3TDH14-6A

* Value valid for non duplexed units. This value can change depending on the filtering insertion loss of the duplexer.

The table below lists the labels assigned the Type, Power Supply, Frequency Band, VHF Filter BW, UHF Filter and Downlink RF Power. Each column includes the information assigned to each suffix label in the model name.

For example, in the model name, L S R F H E-R1A-VU22H, the suffix label R1A-VU22H indicates the following.

- R1 = Type: Remote 1 FO
- A = Power Supply: AC
- VU = Frequency Band: is 136-174 + 450-470
- 2 = VHF Filter BW is 2.0 MHz
- 2 = UHF Filter is 2.0 MHz
- H = Downlink RF Power H: VHF =+30 dBm; UHF =+37 dBm

L S R F H E	-[TYPE]	[Power Supply]	[Frequency Band]	[VHF Filter BW] If apply	[UHF Filter] If apply	[Downlink RF Power]
	M: Master PSC	A: AC	V: 136-174	N: Non Duplexed	N: Non Duplexed	L: VHF=+24dBm; UHF=+30dBm
	R1: Remote 1 FO	D: DC	U: 450-470	2: 2.0 MHz	0: 0.7MHz	H: VHF=+30dBm; UHF=+37dBm
	R2: Remote 2 FO			T: 470-512 UT: 450-512 VU: 136-174+450-470 VT: 136-174+470-512 VUT: 136-174+450-512	3: 3.5 MHz B 1: 1.5MHz 2: 2.0MHz 4: 4.0MHz 5: 5.0MHz 00: 0.7 + 0.7 MHz 01: 0.7 + 1.5 MHz 02: 0.7 + 2.0 MHz 04: 0.7 + 4.0 MHz 11: 1.5 + 1.5 MHz 12: 1.5 + 2.0 MHz 14: 1.5 + 4.0 MHz 22: 2.0 + 2.0 MHz 24: 2.0 + 4.0 MHz 000: 0.7 + 0.7 + 0.7 MHz 001: 0.7 + 0.7 + 1.5 MHz 011: 0.7 + 1.5+ 1.5 MHz 012: 0.7 + 1.5+ 2.0 MHz 111: 1.5 + 1.5 + 1.5 MHz 002: 0.7 + 0.7 + 2.0 MHz 112: 1.5 + 1.5 + 2.0 MHz 004: 0.7 + 0.7 + 4.0 MHz MDA: Miami Dade RWC: Redwood City WMO: WMATA OTA	

Refer to the Ordering Information Section for the model part numbers.

Table 1 - SKU Model Name Descriptions

WARNING: This is NOT a CONSUMER device. It is designed for installation by FCC LICENSEES and QUALIFIED INSTALLERS. You MUST have an FCC LICENSE or express consent of an FCC.

Licensee to operate this device. Unauthorized use may result in significant forfeiture penalties, including penalties in excess of \$100,000 for each continuing violation.

Ordering Information

HONBDA-R1A-T0H: UHF T PSC REM 1FO, 0.7MHz, AC, HP
HONBDA-R1A-T1H: UHF T PSC REM 1FO, 1.5MHz, AC, HP
HONBDA-R1A-U2H: UHF U PSC REM 1FO, 2MHz, AC, HP
HONBDA-R1A-UTNH: UHF PSC REM 1FO, ND, AC, HP
HONBDA-R1A-V2H: VHF PSC REM 1FO, 2MHz, AC, HP
HONBDA-R1A-V3H: VHF PSC REM 1FO, 3MHz, AC, HP
HONBDA-R1A-VNH: VHF PSC REM 1FO, ND, AC, HP
HONBDA-R1A-T00H: UHF T PSC REM 1FO, 0.7-0.7MHz, AC, HP
HONBDA-R1A-T2H: UHF T PSC REM 1FO, 2MHz, AC, HP
HONBDA-R1A-TRWCH: UHF T PSC REM 1FO, RWC, AC, HP
HONBDA-R1A-TWMOH: UHF T PSC REM 1FO, WMO, AC, HP
HONBDA-R1A-U04H: UHF U PSC REM 1FO, 0.7-4MHz, AC, HP
HONBDA-R1A-U22H: UHF U PSC REM 1FO, 2-2MHz, AC, HP
HONBDA-R1A-U4H: UHF U PSC REM 1FO, 4MHz, AC, HP
HONBDA-R1A-UMDAH: UHF U PSC REM 1FO, MDAMHz, AC, HP
HONBDA-R1A-UT02H: UHF PSC REM 1FO, 0.7-2MHz, AC, HP
HONBDA-R1A-UT002H: UHF PSC REM 1FO, 0.7-0.7-2MHz, AC, HP
HONBDA-R1A-UT12H: UHF PSC REM 1FO, 1.5-2MHz, AC, HP
HONBDA-R1A-UT22H: UHF PSC REM 1FO, 2-2MHz, AC, HP
HONBDA-R1A-VT20H: VHF&UHF T PSC REM 1FO, 2&0.7MHz, AC, HP
HONBDA-R1A-VT200H: VHF&UHF T PSC REM 1FO, 2&0.7-0.7MHz, AC, HP
HONBDA-R1A-VT21H: VHF&UHF T PSC REM 1FO, 2&1.5MHz, AC, HP
HONBDA-R1A-VT211H: VHF&UHF T PSC REM 1FO, 2&1.5-1.5MHz, AC, HP
HONBDA-R1A-VT22H: VHF&UHF T PSC REM 1FO, 2&2MHz, AC, HP
HONBDA-R1A-VT2RWCH: VHF&UHF T PSC REM 1FO, 2&RWCMHz, AC, HP
HONBDA-R1A-VT30H: VHF&UHF T PSC REM 1FO, 3&0.7MHz, AC, HP
HONBDA-R1A-VT300H: VHF&UHF T PSC REM 1FO, 3&0.7-0.7MHz, AC, HP
HONBDA-R1A-VT31H: VHF&UHF T PSC REM 1FO, 3&1.5MHz, AC, HP
HONBDA-R1A-VT311H: VHF&UHF T PSC REM 1FO, 3&1.5-1.5MHz, AC, HP
HONBDA-R1A-VT32H: VHF&UHF T PSC REM 1FO, 3&2MHz, AC, HP
HONBDA-R1A-VT3RWCH: VHF&UHF T PSC REM 1FO, 3&RWCMHz, AC, HP
HONBDA-R1A-VTN0H: VHF&UHF T PSC REM 1FO, ND&0.7MHz, AC, HP
HONBDA-R1A-VTN00H: VHF&UHF T PSC REM 1FO, ND&07-07MHz, AC, HP
HONBDA-R1A-VTN1H: VHF&UHF T PSC REM 1FO, ND&1.5MHz, AC, HP
HONBDA-R1A-VTN11H: VHF&UHF T PSC REM 1FO, ND&15-15MHz, AC, HP
HONBDA-R1A-VTN2H: VHF&UHF T PSC REM 1FO, ND&2MHz, AC, HP
HONBDA-R1A-VTNRWCH: VHF&UHF T PSC REM 1FO, ND&RWCMHz, AC, HP
HONBDA-R1A-VU204H: VHF&UHF U PSC REM 1FO, 2&0.7-4MHz, AC, HP
HONBDA-R1A-VU22H: VHF&UHF U PSC REM 1FO, 2&2MHz, AC, HP
HONBDA-1A-VU222H: VHF&UHF U PSC REM 1FO, 2&2-2MHz, AC, HP
HONBDA-R1A-VU24H: VHF&UHF U PSC REM 1FO, 2&4MHz, AC, HP
HONBDA-R1A-VU25H: VHF&UHF U PSC REM 1FO, 2&5MHz, AC, HP
HONBDA-R1A-VU2MDAH: VHF&UHF U PSC REM 1FO, 2&MDA, AC, HP
HONBDA-R1A-VUT2NH: VHF&UHF PSC REM 1FO, 2&ND, AC, HP
HONBDA-R1A-VU304H: VHF&UHF U PSC REM 1FO, 3&0.7-4MHz, AC, HP
HONBDA-R1A-VU32H: VHF&UHF U PSC REM 1FO, 3&2MHz, AC, HP
HONBDA-R1A-VU322H: VHF&UHF U PSC REM 1FO, 3&2-2MHz, AC, HP
HONBDA-R1A-VU34H: VHF&UHF U PSC REM 1FO, 3&4MHz, AC, HP
HONBDA-R1A-VU35H: VHF&UHF U PSC REM 1FO, 3&5MHz, AC, HP
HONBDA-R1A-VU3MDAH: VHF&UHF U PSC REM 1FO, 3&MDA, AC, HP
HONBDA-R1A-VUT3NH: VHF&UHF PSC REM 1FO, 3&ND, AC, HP
HONBDA-R1A-VUN04H: VHF&UHF U PSC REM 1FO, ND&0.7-4MHz, AC, HP
HONBDA-R1A-VUN2H: VHF&UHF U PSC REM 1FO, ND&2MHz, AC, HP
HONBDA-R1A-VUN22H: VHF&UHF U PSC REM 1FO, ND&2-2MHz, AC, HP

HONBDA-R1A-VUN4H: VHF&UHF U PSC REM 1FO, ND&4MHz, AC, HP
HONBDA-R1A-VUN5H: VHF&UHF U PSC REM 1FO, ND&5MHz, AC, HP
HONBDA-R1A-VUNMDAH: VHF&UHF U PSC REM 1FO, ND&MDA, AC, HP
HONBDA-R1A-VUTNNH: VHF&UHF PSC REM 1FO, ND&ND, AC, HP
HONBDA-ED-VUT2NH: VHF&UHF ENT MASTER, 2&ND, DC, HP
HONBDA-ED-VUT3NH: VHF&UHF ENT MASTER, 3&ND, DC, HP
HONBDA-ED-VU34H: VHF&UHF U ENT MASTER, 3&4MHz, DC, HP
HONBDA-R1A-TESGH: VHF PSC REM 1FO, ESG, AC, HP
HONBDA-R1A-UT012H: UHF PSC REM 1FO, 0.7-1.5-2MHz, AC, HP
HONBDA-R1D-VUT2NH: VHF&UHF PSC REM 1FO, 2&ND, DC, HP
HONBDA-R1D-VUT3NH: VHF&UHF PSC REM 1FO, 3&ND, DC, HP
HONBDA-R1A-VUTCY2H: VHF&UHF U PSC REM 1FO, T CY&2MHz, AC, HP
HONBDA-R2A-VUT2NH: VHF&UHF PSC REM 2FO, 2&ND, AC, HP
HONBDA-R2D-VUT2NH: VHF&UHF PSC REM 2FO, 2&ND, DC, HP
HONBDA-R2A-VUT3NH: VHF&UHF PSC REM 2FO, 3&ND, AC, HP
HONBDA-R2D-VU34H: VHF&UHF U PSC REM 2FO, 3&4MHz, DC, HP
HONBDA-R2A-T00H: UHF T PSC REM 2FO, 0.7-0.7MHz, AC, HP
HONBDA-R2A-T0H: UHF T PSC REM 2FO, 0.7MHz, AC, HP
HONBDA-R2A-T1H: UHF T PSC REM 2FO, 1.5MHz, AC, HP
HONBDA-R2A-T2H: UHF T PSC REM 2FO, 2MHz, AC, HP
HONBDA-R2A-TESGH: UHF T PSC REM 2FO, ESG, AC, HP
HONBDA-R2A-TRWCH: UHF T PSC REM 2FO, RWC, AC, HP
HONBDA-R2A-TWMOH: UHF T PSC REM 2FO, WMO, AC, HP
HONBDA-R2A-U04H: UHF U PSC REM 2FO, 0.7-4MHz, AC, HP
HONBDA-R2A-U22H: UHF U PSC REM 2FO, 2-2MHz, AC, HP
HONBDA-R2A-U2H: UHF U PSC REM 2FO, 2MHz, AC, HP
HONBDA-R2A-U4H: UHF U PSC REM 2FO, 4MHz, AC, HP
HONBDA-R2A-UMDAH: UHF U PSC REM 2FO, MDA, AC, HP
HONBDA-R2A-UT002H: UHF PSC REM 2FO, 0.7-0.7-2MHz, AC, HP
HONBDA-UT012H: UHF PSC REM 2FO, 0.7-1.5-2MHz, AC, HP
HONBDA-R2A-UT02H: UHF PSC REM 2FO, 0.7-2MHz, AC, HP
HONBDA-R2A-UT12H: UHF PSC REM 2FO, 1.5-2MHz, AC, HP
HONBDA-R2A-UT22H: UHF PSC REM 2FO, 2-2MHz, AC, HP
HONBDA-R2A-UTNH: UHF PSC REM 2FO, ND, AC, HP
HONBDA-R2A-V2H: VHF PSC REM 2FO, 2MHz, AC, HP
HONBDA-R2A-V2S: VHF PSC REM 2FO, 2MHz, AC, 33DBM
HONBDA-R2A-V3H: VHF PSC REM 2FO, 3MHz, AC, HP
HONBDA-R2A-VNH: VHF PSC REM 2FO, ND, AC, HP
HONBDA-R2A-VT200H: VHF&UHF T PSC REM 2FO, 2&0.7-0.7MHz, AC, HP
HONBDA-R2A-VT20H: VHF&UHF T PSC REM 2FO, 2&0.7MHz, AC, HP
HONBDA-R2A-VT21H: VHF&UHF T PSC REM 2FO, 2&1.5-1.5MHz, ACDC
HONBDA-R2A-VT211H: VHF&UHF T PSC REM 2FO, 2&1.5-1.5MHz, AC, HP
HONBDA-R2A-VT21H: VHF&UHF T PSC REM 2FO, 2&1.5MHz, AC, HP
HONBDA-R2A-VT22H: VHF&UHF T PSC REM 2FO, 2&2MHz, AC, HP
HONBDA-R2A-VT2RWCH: VHF&UHF T PSC REM 2FO, 2&RWC, AC, HP
HONBDA-R2A-VT300H: VHF&UHF T PSC REM 2FO, 3&0.7-0.7MHz, AC, HP
HONBDA-R2A-VT30H: VHF&UHF T PSC REM 2FO, 3&0.7MHz, AC, HP
HONBDA-R2A-VT31H: VHF&UHF T PSC REM 2FO, 3&1.5-1.5MHz, AC, HP
HONBDA-R2A-VT31H: VHF&UHF T PSC REM 2FO, 3&1.5MHz, AC, HP
HONBDA-R2A-VT32H: VHF&UHF T PSC REM 2FO, 3&2MHz, AC, HP
HONBDA-R2A-VT3RWCH: VHF&UHF T PSC REM 2FO, 3&RWC, AC, HP
HONBDA-R2A-VTN00H: VHF&UHF T PSC REM 2FO, ND&07-07MHz, AC, HP
HONBDA-R2A-VTN0H: VHF&UHF T PSC REM 2FO, ND&0.7MHz, AC, HP
HONBDA-R2A-VTN11H: VHF&UHF T PSC REM 2FO, ND&15-15MHz, AC, HP

HONBDA-R2A-VTN1H: VHF&UHF T PSC REM 2FO, ND&1.5MHz, AC, HP
HONBDA-R2A-VTN2H: VHF&UHF T PSC REM 2FO, ND&2MHz, AC, HP
HONBDA-R2A-VTNRWCH: VHF&UHF T PSC REM 2FO, ND&RWC, AC, HP
HONBDA-R2A-VU204H: VHF&UHF U PSC REM 2FO, 2&0.7-4MHz, AC, HP
HONBDA-R2A-VU222H: VHF&UHF U PSC REM 2FO, 2&2-2MHz, AC, HP
HONBDA-R2A-VU22H: VHF&UHF U PSC REM 2FO, 2&2MHz, AC, HP
HONBDA-R2A-VU24H: VHF&UHF U PSC REM 2FO, 2&4MHz, AC, HP
HONBDA-R2A-VU25H: VHF&UHF U PSC REM 2FO, 2&5MHz, AC, HP
HONBDA-R2A-VU2MDAH: VHF&UHF U PSC REM 2FO, 2&MDA, AC, HP
HONBDA-R2A-VU304H: VHF&UHF U PSC REM 2FO, 3&0.7-4MHz, AC, HP
HONBDA-R2A-VU322H: VHF&UHF U PSC REM 2FO, 3&2-2MHz, ACDC
HONBDA-R2A-VU32H: VHF&UHF U PSC REM 2FO, 3&2MHz, AC, HP
HONBDA-R2A-VU34H: VHF&UHF U PSC REM 2FO, 3&4MHz, AC, HP
HONBDA-R2A-VU35H: VHF&UHF U PSC REM 2FO, 3&5MHz, AC, HP
HONBDA-R2A-VU3MDAH: VHF&UHF U PSC REM 2FO, 3&MDA, AC, HP
HONBDA-R2A-VUN04H: VHF&UHF U PSC REM 2FO, ND&0.7-4MHz, AC, HP
HONBDA-R2A-VUN22H: VHF&UHF U PSC REM 2FO, ND&2-2MHz, AC, HP
HONBDA-R2A-VUN2H: VHF&UHF U PSC REM 2FO, ND&2MHz, AC, HP
HONBDA-R2A-VUN4H: VHF&UHF U PSC REM 2FO, ND&4MHz, AC, HP
HONBDA-R2A-VUN5H: VHF&UHF U PSC REM 2FO, ND&5MHz, AC, HP
HONBDA-R2A-VUNMDAH: VHF&UHF U PSC REM 2FO, ND&MDA, AC, HP
HONBDA-R2A-VUTNNH: VHF&UHF PSC REM 2FO, ND&ND, AC, HP
HONBDA-R1D-T0H: UHF T PSC REM 1FO, 0.7MHz, DC, HP
HONBDA-R1D-T1H: UHF T PSC REM 1FO, 1.5MHz, DC, HP
HONBDA-R1D-T2H: UHF T PSC REM 1FO, 2MHz, DC, HP
HONBDA-R1D-TRWCH: UHF T PSC REM 1FO, RWC, DC, HP
HONBDA-R1D-TWMOH: UHF T PSC REM 1FO, WMO, DC, HP
HONBDA-R1D-U2H: UHF U PSC REM 1FO, 2MHz, DC, HP
HONBDA-R1D-U4H: UHF U PSC REM 1FO, 4MHz, DC, HP
HONBDA-R1D-UMDAH: UHF U PSC REM 1FO, MDA, DC, HP
HONBDA-R1D-UT02H: UHF PSC REM 1FO, 0.7-2MHz, DC, HP
HONBDA-R1D-UT12H: UHF PSC REM 1FO, 1.5-2MHz, DC, HP
HONBDA-R1D-UT22H: UHF PSC REM 1FO, 2-2MHz, DC, HP
HONBDA-R1D-UTNH: UHF PSC REM 1FO, ND, DC, HP
HONBDA-R1D-VT200H: VHF&UHF T PSC REM 1FO, 2&0.7-0.7MHz, DC, HP
HONBDA-R1D-VT20H: VHF&UHF T PSC REM 1FO, 2&0.7MHz, DC, HP
HONBDA-R1D-VT211H: VHF&UHF T PSC REM 1FO, 2&1.5-1.5MHz, DC, HP
HONBDA-R1D-VT21H: VHF&UHF T PSC REM 1FO, 2&1.5MHz, DC, HP
HONBDA-R1D-VT22H: VHF&UHF T PSC REM 1FO, 2&2MHz, DC, HP
HONBDA-R1D-VT2RWCH: VHF&UHF T PSC REM 1FO, 2&RWC, DC, HP
HONBDA-R1D-VT300H: VHF&UHF T PSC REM 1FO, 3&0.7-0.7MHz, DC, HP
HONBDA-R1D-VT30H: VHF&UHF T PSC REM 1FO, 3&0.7MHz, DC, HP
HONBDA-R1D-VT311H: VHF&UHF T PSC REM 1FO, 3&1.5-1.5MHz, DC, HP
HONBDA-R1D-VT31H: VHF&UHF T PSC REM 1FO, 3&1.5MHz, DC, HP
HONBDA-R1D-VT32H: VHF&UHF T PSC REM 1FO, 3&2MHz, DC, HP
HONBDA-R1D-VT3RWCH: VHF&UHF T PSC REM 1FO, 3&RWC, DC, HP
HONBDA-R1D-VTN00H: VHF&UHF T PSC REM 1FO, ND&07-07MHz, DC, HP
HONBDA-R1D-VTN0H: VHF&UHF T PSC REM 1FO, ND&0.7MHz, DC, HP
HONBDA-R1D-VTN11H: VHF&UHF T PSC REM 1FO, ND&15-15MHz, DC, HP
HONBDA-R1D-VTN1H: VHF&UHF T PSC REM 1FO, ND&1.5MHz, DC, HP
HONBDA-R1D-VTN2H: VHF&UHF T PSC REM 1FO, ND&2MHz, DC, HP
HONBDA-R1D-VTNRWCH: VHF&UHF T PSC REM 1FO, ND&RWC, DC, HP
HONBDA-R1D-VU204H: VHF&UHF U PSC REM 1FO, 2&0.7-4MHz, DC, HP
HONBDA-R1D-VU222H: VHF&UHF U PSC REM 1FO, 2&2-2MHz, DC, HP
HONBDA-R1D-VU22H: VHF&UHF U PSC REM 1FO, 2&2MHz, DC, HP
HONBDA-R1D-VU24H: VHF&UHF U PSC REM 1FO, 2&4MHz, DC, HP
HONBDA-R1D-VU25H: VHF&UHF U PSC REM 2FO, 2&5MHz, DC, HP
HONBDA-R1D-VU2MDAH: VHF&UHF U PSC REM 2FO, 2&MDA, DC, HP
HONBDA-R1D-VU304H: VHF&UHF U PSC REM 2FO, 3&0.7-4MHz, DC, HP
HONBDA-R1D-VU322H: VHF&UHF U PSC REM 2FO, 3&2-2MHz, DC, HP
HONBDA-R1D-VU32H: VHF&UHF U PSC REM 2FO, 3&2MHz, DC, HP

High Power Over-the-Air Public Safety Centric DAS (136-512 MHz)

HONBDA Series

HONBDA-R2D-VU35H: VHF&UHF U PSC REM 2FO, 3&5MHz, DC, HP
HONBDA-R2D-VU3MDAH: VHF&UHF U PSC REM 2FO, 3&MDA, DC, HP
HONBDA-R2D-VUN04H: VHF&UHF U PSC REM 2FO, ND&0.7-4MHz, DC, HP
HONBDA-R2D-VUN22H: VHF&UHF U PSC REM 2FO, ND&2-2MHz, DC, HP
HONBDA-R2D-VUN2H: VHF&UHF U PSC REM 2FO, ND&2MHz, DC, HP
HONBDA-R2D-VUN4H: VHF&UHF U PSC REM 2FO, ND&4MHz, DC, HP
HONBDA-R2D-VUN5H: VHF&UHF U PSC REM 2FO, ND&5MHz, DC, HP
HONBDA-R2D-VUNMDAH: VHF&UHF U PSC REM 2FO, ND&MDA, DC, HP
HONBDA-R2D-VUTNNH: VHF&UHF PSC REM 2FO, ND&ND, DC, HP

This document is not intended to be used for installation purposes.
We try to keep our product information up-to-date and accurate.
We cannot cover all specific applications or anticipate all requirements.
All specifications are subject to change without notice.

Fiplex

2101 NW 79th Avenue
Miami, FL 33122
305 884-8991
www.fiplex.com

Fiplex™ is a trademark of Fiplex Communications Inc.
© 2023 by Honeywell International Inc. All rights reserved.
Unauthorized use of this document is strictly prohibited.

Country of Origin: USA

Page 6 of 6 • Document BD426.5 • 08/01/2023

