

FLEX Series

External Annunciator

HONBDA-BTTY-ANN-4

Product Features

- NFPA Compliant
- NEMA 4 Enclosure
- Eight LED alarm indicators
- Compatible with BBU models
- Quick connection with BBUs
- Country of Origin: USA
- 3-year Warranty
- Buy American Compliant: Meets the definition of Domestic Construction Material under the Buy American Act
- IFC & NFPA compliance; UL2524 2nd Edition Standard
- OSHA Approved for UL2524 2nd Edition Standard
- RoHS Compliant
- SGS C-UL Compliant
- UL2524 2nd Edition Standard Listing with SGS, Nationally Recognized Testing Laboratory (NRTL) approved by OSHA for UL2524



Applications

- For P25 Phase I & Phase II, DMR, NXDN and Conventional Systems
- Indoor coverage: buildings, schools, hospitals, casinos, tunnels, metro stations
- Outdoor coverage: oil rigs, stadiums, dense urban areas, rural areas

Specification	Value
Type	External Annunciator for the BBU
Alarm Display	8 LEDs
Alarms Displayed	<ul style="list-style-type: none">• AC Power Normal• AC Fail - Batt Active• Battery Capacity < 30%• Battery Charger Fail• Donor Antenna Disconnect• Donor Antenna Malfunction• RF Emitter Fail• System Component Fail
Audible Alarm	Yes
Mute Button for Audible Alarm	Yes
Maximum Number of Annunciators	4
BBU Interconnection	CAT 5/6
Conduit Connector	Yes
Enclosure Rating	NEMA 4
Color	Red
Temperature Range	0 to 50 C
Dimensions	13.3 x 10.4 x 4.1 in (340 x 265 x105 mm)
Weight	6.6 lbs 3 kg

FLEX Series

External Annunciators

HONBDA-BTTY-ANN-4

Ordering Information

HONBDA-BTTY-ANN-4: BBU External Annunciator without dry contacts. NFPA compliant, UL2524 2nd Edition HONEYWELL Annunciator

STANDARDS AND CODES

The HONBDA-BTTY-ANN-4 complies with the following standards and codes.

- Buy American Compliant: Meets the definition of Domestic Construction Material under the Buy American Act
- IFC 2015, 2018, 2021 Edition Standards
- NFPA Compliant
- OSHA Approved
- ROHS Compliant
- SGS C-UL Compliant
- UL2524 2nd Edition Standard with SGS, Nationally Recognized Testing Laboratory (NRTL) approved by OSHA for UL2524

Fiplex

2101 NW 79th Avenue
Miami, FL 33122
305 884-8991
www.fiplex.com

This document is not intended to be used for installation purposes.
We try to keep our product information up-to-date and accurate.
We cannot cover all specific applications or anticipate all requirements.
All specifications are subject to change without notice.

Fiplex™ is a trademark of Fiplex Communications, Inc.
©2021 by Honeywell International Inc. All rights reserved.
Unauthorized use of this document is strictly prohibited.

Country of Origin: USA