HONBDA-BTTY-ANN-5

FLEX Series BBU External Annunciator

Product Features

- NFPA Compliant
- Eight LED alarm indicators
- · Form C alarm relays
- · Compatible with BBU models
- · Quick connection with BBUs
- · Country of Origin: USA
- · 3-year Warranty
- Buy American Compliant: Meets the definition of Domestic Construction Material under the Buy American Act
- IFC & NFPA compliance; UL2524 2nd Edition Standard
- ISO-9001 Approved
- · OSHA Approved for UL2524 2nd Edition Standard
- · RoHS Compliant
- · SGS C-UL Compliant
- UL2524 2nd Edition Standard Listing with SGS, Nationally Recognized Testing Laboratory (NRTL) approved by OSHA for UL2524



Specification

Temperature Range

Dimensions Weight

- For P25 Phase I & Phase II, DMR, NXDN and Conventional Systems
- Indoor coverage: buildings, schools, hospitals, casinos, tunnels, metro stations

Value

0 to 50 C

6.6 lbs 3 kg

· Outdoor coverage: oil rigs, stadiums, dense urban areas, rural areas



Туре	External Annunciator for the BBU
Alarm Display	8 LEDs
Alarms Displayed	AC Power Normal
	AC Fail - Batt Active
	Battery Capacity < 30%
	Battery Charger Fail
	Donor Antenna Disconnect
	Donor Antenna Malfunction
	RF Emitter Fail
	System Component Fail
Audible Alarm	Yes
Mute Button for Audible Alarm	Yes
Maximum Number of Annunciators	4
Relays	Form C Dry Contacts
Quantity of Relays	8
BBU Interconnection	CAT 5/6
Conduit Connector	Yes
Color	Red

13.58 x 11.96 x 4 in (345 x 304 x102 mm)



FLEX Series BBU External Annunciators

HONBDA-BTTY-ANN-5

Ordering Information

HONBDA-BTTY-ANN-5: BBU External Annunciator with dry contacts. Non-NEMA,NFPA compliant, UL2524 2nd Edition HONEYWELL Annunciator

STANDARDS AND CODES

The HONBDA-BTTY-ANN-5 complies with the following standards and codes.

- · Buy American Compliant: Meets the definition of Domestic Construction Material under the Buy American Act
- IFC & NFPA compliance; UL2524 2nd Edition
- · ISO 9001 Approved
- OSHA Approved
- ROHS Compliant
- SGS C-UL Compliant
- · UL2524 2nd Edition Standard with SGS, Nationally Recognized Testing Laboratory (NRTL) approved by OSHA for UL2524

This document is not intended to be used for installation purposes. We try to keep our product information up-to-date and accurate. We cannot cover all specific applications or anticipate all requirements. All specifications are subject to change without notice.

Fiplex[™] is a trademark of Fiplex Communications, Inc. ©2021 by Honeywell International Inc. All rights reserved. Unauthorized use of this document is strictly prohibited.

Page 2 of 2 • Document BD433 4.0 • 10/01/2022

Country of Origin: USA



Fiplex

2101 NW 79th Avenue Miami, FL 33122 305 884-8991 www.fiplex.com